

EZ-ACCESS[®] Product Catalog

Anytime, anywhere you need access



7

Residential Access
Product Lines

Enriching lives
by providing
access to life
beyond barriers


30+

Years and still
family owned



www.ezaccess.com
customerservice@ezaccess.com
1-800-451-1903

Solution-based products to make safe, in



1

ORBIT® Patient Transfer Lift:
Safely and conveniently make transfers and daily activities easier for both the patient and their caregiver with this transfer device that pivots 360-degrees.

2

TILT® Toilet Incline Lift:
Experience both comfort and safety with this toileting aid that offers safe, independent bathroom use by assisting in getting on and off of the commode.

3

TRANSITIONS® Threshold Ramps and Mats:
Create a smooth transition and eliminate potential trip hazards with this convenient solution.

4

PATHWAY® 3G Modular Access:
Create safe and seamless access to unique entryways with this customizable ramp system.

GATEWAY™ 3G Solid Surface:
Perfect for temporary or semi-permanent needs, the GATEWAY can be easily reconfigured as needs change. Available with...

Independent living a possibility



Pass System:
Access for both standard and
semi-permanent,

Portable Ramp:
Semi-permanent home access,
moved or relocated as
needed with or without handrails.

5

SUITCASE® Portable Folding Ramp:
Overcome curbs and low landings with this versatile
portable ramp that provides the safety and strength
required while remaining lightweight and portable.
Great for at home or on the go.

PASSPORT® Vertical Platform Lift:
The ideal solution when surrounding space is
limited or higher rises are present. Great for use at your
front or back door, as well as garage entry.

SUITCASE® Portable Ramps

SUITCASE® ramps are a durable and dependable solution for a variety of mobility and accessibility needs. From the SUITCASE Singlefold to the Singlefold AS and Trifold AS, you are sure to find a convenient, lightweight, and easy-to-use ramp perfect for wheelchair and scooter use. These portable ramps are built to withstand repeated use and offer a variety of slip-resistant surfaces. All SUITCASE ramps feature non-breakable handles are ideal for use at home or on the go.

SUITCASE® Singlefold Ramp



Weight capacity		800 lbs.
Width		30"
Material		Aluminum
Tread		Extruded
Warranty		Lifetime

Made in the USA

- » Single-fold design sets up quickly
- » Full-length hinge for additional strength and stability
- » Made of lightweight, durable, and high-strength aluminum
- » Extruded, slip-resistant surface for superior traction

SUITCASE® Singlefold AS Ramp



Weight capacity		800 lbs.
Usable width		29.5"
Material		Aluminum
Tread		Applied
Warranty		Lifetime

Made in the USA

- » Single-fold design sets up quickly and folds for storage or transport
- » Can be used as one unit or easily separated into two lightweight sections
- » Made of lightweight, durable, and high-strength aluminum
- » Applied, slip-resistant surface

SUITCASE® TRIFOLD® AS Ramp




Weight capacity		800 lbs.
Usable width		29.5"
Material		Aluminum
Tread		Applied
Warranty		Lifetime

Made in the USA

- » Three-fold hinge allows for ultimate portability when longer ramp lengths are needed
- » Designed to be used and carried as one unit, or separated into two individual sections for easier transport and reduced handling weight
- » Made of lightweight, durable, and high-strength aluminum
- » Applied, slip-resistant surface

SUITCASE® Top Lip Extension



Weight capacity		500 lbs.
Material		Aluminum
Tread		Extruded
Warranty		Lifetime

Increase the reach of SUITCASE ramps with the optional Top Lip Extension. The TLE extends the standard 3" top transition plate to 9", allowing the ramp to clear the rear bumper when loading a mobility device into the back of an SUV or van.


- » Extruded, slip-resistant surface
- » Made of durable, high-strength aluminum
- » Sold as a pair

TRANSITIONS® Threshold Ramps

Create a smooth transition for mobility users and eliminate potential trip hazards with TRANSITIONS® threshold ramps, mats, and plates. This convenient solution is available in a variety of surface and material options - as well as height ranges - and accommodates most threshold applications.


Modular Entry Ramp

- » Modular design with interchangeable extensions
- » Available in seven sizes to accommodate thresholds from 3/4" to 6-1/4" high
- » Made of high-strength aluminum which will not rust or corrode
- » Extruded, slip-resistant surface for superior traction
- » 34" wide
- » 700 lb. weight capacity



Angled Entry Ramp

- » Features independently adjustable legs with swivel feet to fit varying heights and angles
- » Available in 12", 24", and 36" lengths with vertical adjustments ranging from 1-3/8" to 5-7/8" high
- » Extruded, slip-resistant surface for superior traction
- » Made of high-strength aluminum which will not rust or corrode
- » 36" wide
- » 700 lb. weight capacity




Angled Entry Plate

- » Single-piece, formed plate with an applied, slip-resistant surface
- » Available in 8", 10", and 12" lengths
- » Accommodates thresholds up to 2" high
- » Made of high-strength aluminum that will not rust or corrode
- » 32" wide
- » 700 lb. weight capacity



Angled Entry Mat

- » Made of 100% recycled rubber
- » Available in 1-1/2" and 2-1/2" heights and can easily be trimmed or notched if needed
- » Beveled edges for cross-traffic access
- » Available in black, gray, and brown
- » Usable width of 36"
- » 850 lb. weight capacity



Modular Entry Mat

- » Made of 100% recycled rubber
- » 2-1/2" height or combine with optional risers to obtain a maximum height of 4-3/4"
- » Can be trimmed or notched for a custom fit
- » Ideal for both indoor or and outdoor use
- » 48" wide
- » 850 lb. weight capacity




All TRANSITIONS products are backed by our lifetime warranty and are made in the USA.



PATHWAY® 3G Modular Access System

The American-made PATHWAY® 3G Modular Access System consists of ramps, stairs, and platforms, all of which may be combined and configured in a variety of ways to provide a customized home access solution. Its unique features, including universal components and interchangeable surface and handrail options, allow safe and seamless access. If needs change, the PATHWAY 3G can transition with an individual.



- » Made of lightweight, durable, and high-strength aluminum that will not rust, making this system virtually maintenance-free
- » Quick installation with minimal tools
- » Can be easily reconfigured or relocated as needs change

- » Interchangeable surface and handrail options for immense versatility
- » Optional powder coating is available in black, bronze, or tan
- » No poured footers, no construction - just simple assembly

Ramps




- » Weight capacity: 1,000 lbs.
- » Standard widths: 36" & 48" (48" width available in solid surface only)
- » Ramp handrail height: 34-1/2"

Platforms



- » Weight capacity: 1,000 lbs.
- » Platform handrail height: 34-1/2"

Surfaces



Surface options allow for infinite ramp configurations and design flexibility while providing safe access to every home. Both surfaces are made of durable aluminum and offer advanced slip-resistance.

- » **Solid:** The solid surface, our most popular option, has an extruded tread and features raised ribs to provide slip resistance and all-weather traction.
- » **Expanded Metal:** The diamond-shaped openings in the expanded metal surface allows multi-directional traction and reduced surface accumulation by allowing small debris, rain, and melting snow to flow through.

Handrails

A variety of handrails are available to suit any residential need. Whether you choose a single rail, a two-line rail, vertical or horizontal pickets, these versatile, component-based rails are easy to assemble and customize. All styles are made of aluminum and feature a durable design with a continuous top rail.



- » **Single Rail:** The single rail is a versatile, one-line handrail. Features a continuous top rail and is the most economical solution.



- » **Two-line Rail:** The most popular handrail design, the two-line rail provides an additional gripping surface by adding a second rail below the continuous top rail.




- » **Vertical Pickets:** Vertical pickets offer an added level of safety, especially for children and small pets. Our pre-assembled aluminum inserts meet the 4-inch sphere rule for spacing.



- » **Horizontal Pickets:** Horizontal pickets offer an aesthetic option while maintaining safety. These horizontal inserts run parallel to the topmost rail and can be installed on standard handrail posts.

GATEWAY™ 3G Solid Surface Portable Ramp

The GATEWAY™ 3G Solid Surface Portable Ramp is the ideal solution when mobility needs extend beyond the scope of a portable folding ramp. Designed for the rigors of repeated, everyday use in all weather conditions and is ideal for scooters, wheelchairs, and walkers. Available with or without handrails.



- » More durable than wood, the GATEWAY is made of aluminum and designed for years of maintenance-free use
- » Solid, seam-free surface that offers slip-resistance
- » Perfect for temporary or semi-permanent home access and can be easily moved or relocated as needs change
- » Formed top transition for secure placement
- » Adjustable bottom transition that allows smooth ramp-to-ground conversion
- » 36" wide with raised side rails to help prevent mobility devices from driving off the edge
- » 1,000 lb. weight capacity

RAMP ONLY

RAMP WITH
TWO-LINE HANDRAILS

RAMP WITH
VERTICAL PICKET HANDRAILS



The GATEWAY 3G is backed by our lifetime warranty and is made in the USA.

PASSPORT® Vertical Platform Lift

The PASSPORT® Vertical Platform Lift takes safe access to the next level, providing a quiet, smooth ride to your next destination. When surrounding space is limited or higher rises are present, this Vertical Platform Lift is the perfect solution. The PASSPORT is user-friendly, low-maintenance, and is the preferred lift of technicians and installers. ETL certified – independently tested and approved for product safety.



Highlighted Features

- » 44", 52", 72", 120", 144", and 168" heights with straight, turn, or dual access platforms
- » 750 lb. weight capacity
- » Lightweight: 339 lbs. - 599 lbs. depending on unit
- » Plug-N-Play wiring technology for quick and easy installation
- » DC-powered unit
- » On-board smart charger plugs into standard GFI outlet and offers approximately 20 complete, fully loaded cycles on battery power alone
- » High-visibility LED diagnostic indicator lights for troubleshooting and reduced service calls
- » Multi-positional control box features keyed operation
- » Continuous, large, low-pressure mushroom head control switches (including emergency stop) are easy to use, regardless of motor skills
- » Undercarriage safety pan with obstruction detector (takes less than 15 pounds of pressure to stop lift)
- » Self-actuating, 24-inch entry ramp folds upward when the lift rises to prevent accidental travel off the platform

The PASSPORT is proudly made in the USA and backed by our 2-year warranty.

TILT® Toilet Incline Lift

The TILT® Toilet Incline Lift is a patented toileting aid that lifts to your natural body movement, providing the independence needed to maintain dignity in the bathroom. By combining the functionality of a heavy duty commode and a lift chair, the lightweight and durable TILT offers an easy-to-use bathroom safety solution. It also features handheld control to make the lifting process convenient for the user or caregiver. Designed for quick, simple installation. Available in corded or battery power.

Corded Power Unit



Battery Powered Unit




- » Lightweight and features a 325 lb. weight capacity
- » Can be installed in as little as 15 minutes
- » Standard or elongated seat models available



Equipped with a Companion Control to allow the user or caregiver to easily operate the seat with the push of a button.



Equipped with non-slip hand grips, which allows users to gain a secure grip while the seat raises and lowers.



Battery powered unit features a rechargeable battery pack that mounts to the wall within 3' of the unit and requires 5" x 16" of wall space.



The TILT bolts directly to the bowl for increased stability.

Made in the USA and backed by our 2-year warranty.



ORBIT® Patient Transfer Lift

The ORBIT® Patient Transfer Lift is an American-made, safe, and convenient device to assist in lifting and transferring individuals with limited mobility. This unique patient transfer lift features an articulating arm and pivoting stanchion with brake that offers a reach of up to 5' in all directions and rotates 360-degrees, providing precise, all-round flexibility, even in tight spaces. Designed to be used with your favorite ancillary medical equipment, the ORBIT's non-obtrusive design allows the unit to be placed in small bedrooms and bathrooms and can be used with any bed size.



- Articulating arm and stanchion each rotate 360-degrees for unmatched range of motion in all directions.
- 5-point arm height adjustment provides the flexibility to set vertical clearance as needed.
- 5' arm offers a 10' range of motion and 4' arm offers 8' range of motion.
- Models are available to reach ceiling heights of 8'-12'.
- Brake to slow the rotation of the stanchion and arm around the axis by creating drag, allowing precise control.
- Hook tab: Built into the articulating arm for ancillary medical equipment attachment.
- Unlike fixed track, rolling, or portable lifting systems, the ORBIT features a small footprint and is not intrusive to the home or surrounding space.
- Compact design allows the ORBIT to be mounted out of the way, in a location that's most convenient for the user or caregiver.
- Due to its single post design, installation time is reduced, which means minimal disruption for the user or their family. The ORBIT can be installed floor-to-ceiling or floor-to-wall.
- Multiple units can be placed throughout the home or the unit can conveniently be relocated.
- Made in the USA.

Models | 4' arm, 5' arm, 8'-10' stanchion, 8'-12' stanchion
Application | Residential and institutional
Operation | Patient lifting and transferring
Mounting | Bolted floor-to-ceiling or floor-to-wall
Weight Capacity | 440 lbs.
Stanchion Dimensions | 8-12' H x 2.5" W x 2.5" D (approx.)



Optional swivel hook is available to use with your favorite motor (swivel action helps to prevent motor tape from twisting).



www.ezaccess.com
customerservice@ezaccess.com
1-800-451-1903